WEIGHING SOLUTIONS FOR LOGISTICS

CATALOGUE

PALLET TRUCK SCALES
HAND PALLET TRUCK SCALES

PALLET SCALES

WEIGHING KITS FOR FORKLIFTS
AND ELECTRIC PALLET TRUCKS

DIMENSIONING SYSTEMS

TPWLK
LEGAL FOR TRADE WITH PRINTER

M +   **INSTAPLUG** +   🖨 +   **RECHARGEABLE BATTERY**

550 mm
EUROPALLET

680 mm
US PALLET

MANUFACTURED IN ITALY

Professional pallet truck scale, with optional printer ideal for tracking weighing. Certified accuracy thanks to the legal-for-trade approval.

Choose it because:
- Approved for legal-for-trade use
- Also available with integrated printer
- Instaplug technology that allows for 24/7 use

M	🖨	Max. Capacity (kg)		d (kg)	e (kg)
		2.000		0,2	
M		**2.000**	[1.000 - 2.000]		0,5 - 1
	🖨	**2.000**		0,2	
M	🖨	**2.000**	[1.000 - 2.000]		0,5 - 1

M *Legal for trade.*   🖨 *Integrated Printer and Date & Time.*

Upon request:
- **M** Capacity 600 kg, Resolution 0,2 kg
- **M** Capacity 600 / 1.500 kg, Resolution 0,2 / 0,5 kg
- **M** Capacity 1.500 kg
- **M** Capacity 2.500 kg
- Capacity 2.500 kg (Accuracy between 2.000 / 2.500 kg is 2 kg)
- Forks for US pallet (680 mm)

Other special capacities / resolutions: upon request.
Other special versions: upon request.

Main Functions

- **WEIGHT TOTALISATION**
- **PIECE COUNTING**
- **UNIT CONVERTER:** kg/lb, free conversion factor
- **50 TARE MEMORY**

- **PRINT NUMERIC IDs**
- **ZEROING**
- **TARE**
- **PRESET TARE**

Main Features

|		
Display		25 mm LCD backlit display
Brightness		Adjustable brightness
IP protection rating		IP65 / IP20 for models with printer
Accuracy*	Internal use	± 1 kg
	Legal for trade **M**	In accordance with Directive 2014/31/EU
Keyboard		17-key waterproof
Structure		Oven-fire painted steel
Steering wheels		Double polyurethane rollers
Load wheels		Double polyurethane loading rollers
Lift pump		Quick-lifting hydraulic pump
Load cells		4, in stainless steel, with IP68 protection
Auto switch-off		5 min, programmable
Power supply		"Instaplug" removable rechargeable battery
Operating time		About 80 h
Battery recharge		Via a 230 Vac 50 Hz charger (8 h for full recharge) with EU power plug**
Operating temperature range		-10 / +40 °C
Communication to external devices		Optional radio-frequency, Wi-Fi or Bluetooth

(*) Weighing of goods on EUROPALLET with distributed load.
(**) UK, AU, US versions: upon request.

Certifications

- **2006/42/EU (Machine Directive)**
- **2014/30/EU (EMC)**
- **2014/35/EU (LVD)**

- **2011/65/EU (RoHS)**
- **2014/31/EU (NAWI)**

Technical Drawing (mm)

Accessories

- **ADDITIONAL BATTERY FOR 24/7 USE**
- **BLUETOOTH INTERFACE**
- **RADIO 2,4 GHz INTERFACE**
- **Wi-Fi**
- **PC SOFTWARE FOR DATA STORAGE**

- **FISCAL MEMORY**
- **PARKING BRAKE**
- **USB MEMORY FOR DATA STORAGE**
- **ANTISTATIC STEERING WHEELS**
- **VULKOLLAN / NYLON STEERING WHEELS**

Robust packaging for optimal protection
of your pallet truck.
100% recyclable.